




Shenzhen Esyn Technology Co., Ltd


Add: D11-21, 11th/F, Tiangong International Security Electronic Building, Niulanqian, Minzhi Avenue, Longhua District, Shenzhen
 Email: info@esyncctv.com
 Website: http://www.esyncctv.com


Product List for Megapixel CCTV Security AHD Dome Camera


No.	Product Picture	Key Features	Model No.	Pixels	Resolution	Sensor
1		<ul style="list-style-type: none"> * High definition AHD camera * Material: ABS(plastic) * Color: white/ black optional * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm optional) * 24pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 20 meters (65ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Non-waterproof, indoor use only 	ES-AD3001L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3001B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3001M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3001A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3001P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3001F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3001S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3001U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3001E	5.0MP	2592(H)*1944P(V)	1/3" CMOS
2		<ul style="list-style-type: none"> * High definition AHD camera * Material: ABS(plastic) * Color: white * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm optional) * 24pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 20 meters (65ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Non-waterproof, indoor use only 	ES-AD3002L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3002B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3002M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3002A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3002P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3002F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3002S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3002U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3002E	5.0MP	2592(H)*1944P(V)	1/3" CMOS


3		<ul style="list-style-type: none"> * High definition AHD camera * Material: ABS(plastic) * Color: white/ black optional * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm optional) * 30pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 25 meters (82ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Non-waterproof, indoor use only 	ES-AD3003L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3003B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3003M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3003A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3003P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3003F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3003S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3003U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3003E	5.0MP	2592(H)*1944P(V)	1/3" CMOS
4		<ul style="list-style-type: none"> * High definition AHD camera * Material: ABS(plastic) * Color: white * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm optional) * 30pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 25 meters (82ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Non-waterproof, indoor use only 	ES-AD3004L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3004B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3004M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3004A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3004P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3004F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3004S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3004U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3004E	5.0MP	2592(H)*1944P(V)	1/3" CMOS
5		<ul style="list-style-type: none"> * High definition AHD camera * Material: ABS(plastic) * Color: white * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm optional) * 30pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 25 meters (82ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Non-waterproof, indoor use only 	ES-AD3005L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3005B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3005M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3005A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3005P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3005F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3005S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3005U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3005E	5.0MP	2592(H)*1944P(V)	1/3" CMOS


6		<ul style="list-style-type: none"> * High definition AHD camera * Material: ABS(plastic) * Color: white * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm optional) * 30pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 25 meters (82ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Non-waterproof, indoor use only 	ES-AD3006L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3006B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3006M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3006A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3006P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3006F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3006S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3006U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3006E	5.0MP	2592(H)*1944P(V)	1/3" CMOS

7		<ul style="list-style-type: none"> * High definition AHD camera * Material: ABS(plastic) * Color: white * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm optional) * 2pcs high performance array IR leds * Smart IR filter, day & night auto switch * Night vision up to 20 meters (65ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Non-waterproof, indoor use only 	ES-AD3007L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3007B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3007M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3007A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3007P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3007F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3007S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3007U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3007E	5.0MP	2592(H)*1944P(V)	1/3" CMOS


8		<ul style="list-style-type: none"> * High definition AHD camera * Material: ABS(plastic) * Color: white * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm optional) * 3pcs high performance array IR leds * Smart IR filter, day & night auto switch * Night vision up to 25 meters (82ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Non-waterproof, indoor use only 	ES-AD3008L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3008B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3008M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3008A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3008P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3008F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3008S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3008U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3008E	5.0MP	2592(H)*1944P(V)	1/3" CMOS


9		<ul style="list-style-type: none"> * High definition AHD camera * Material: ABS(plastic) * Color: white * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm optional) * 6pcs high performance array IR leds * Smart IR filter, day & night auto switch * Night vision up to 35 meters (115ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Non-waterproof, indoor use only 	ES-AD3009L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3009B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3009M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3009A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3009P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3009F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3009S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3009U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3009E	5.0MP	2592(H)*1944P(V)	1/3" CMOS


10		<ul style="list-style-type: none"> * High definition AHD camera * Material: metal * Color: white * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm optional) * 12pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 15 meters (50ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Vandal-proof, waterproof 	ES-AD3010L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3010B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3010M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3010A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3010P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3010F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3010S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3010U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3010E	5.0MP	2592(H)*1944P(V)	1/3" CMOS


11		<ul style="list-style-type: none"> * High definition AHD camera * Material: metal * Color: white * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm optional) * 12pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 15 meters (50ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Vandal-proof, waterproof 	ES-AD3011L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3011B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3011M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3011A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3011P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3011F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3011S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3011U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3011E	5.0MP	2592(H)*1944P(V)	1/3" CMOS

12		<ul style="list-style-type: none"> * High definition AHD camera * Material: metal * Color: white * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm/2.8~12mm optional) * 15pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 15 meters (50ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Vandal-proof, waterproof 	ES-AD3012L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3012B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3012M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3012A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3012P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3012F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3012S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3012U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3012E	5.0MP	2592(H)*1944P(V)	1/3" CMOS
13		<ul style="list-style-type: none"> * High definition AHD camera * Material: metal * Color: white * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm/2.8~12mm optional) * 15pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 15 meters (50ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Waterproof, IP65 	ES-AD3013L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3013B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3013M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3013A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3013P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3013F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3013S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3013U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3013E	5.0MP	2592(H)*1944P(V)	1/3" CMOS
14		<ul style="list-style-type: none"> * High definition AHD camera * Material: metal * Color: white/ black optional * Video compression: H.264 standard * 3.6mm fixed lens (6mm/8mm optional) * 6pcs high performance array IR leds * Smart IR filter, day & night auto switch * Night vision up to 35 meters (115ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Waterproof, IP65 	ES-AD3014L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3014B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3014M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3014A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3014P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3014F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3014S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3014U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3014E	5.0MP	2592(H)*1944P(V)	1/3" CMOS

15		<ul style="list-style-type: none"> * High definition AHD camera * Material: metal * Color: white * Video compression: H.264 standard * 2.8~12mm zoom varifocal lens * 36pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 30 meters (98ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Waterproof 	ES-AD3015L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3015B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3015M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3015A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3015P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3015F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3015S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3015U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3015E	5.0MP	2592(H)*1944P(V)	1/3" CMOS

16		<ul style="list-style-type: none"> * High definition AHD camera * Material: metal * Color: white * Video compression: H.264 standard * 2.8~12mm zoom varifocal lens * 24pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 20 meters (65ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Vandal-proof, waterproof 	ES-AD3016L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3016B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3016M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3016A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3016P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3016F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3016S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3016U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3016E	5.0MP	2592(H)*1944P(V)	1/3" CMOS

17		<ul style="list-style-type: none"> * High definition AHD camera * Material: metal * Color: white * Video compression: H.264 standard * 2.8~12mm zoom varifocal lens * 30pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 25 meters (82ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Vandal-proof, waterproof 	ES-AD3017L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3017B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3017M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3017A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3017P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3017F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3017S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3017U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3017E	5.0MP	2592(H)*1944P(V)	1/3" CMOS

18		<ul style="list-style-type: none"> * High definition AHD camera * Material: metal * Color: white * Video compression: H.264 standard * 2.8~12mm zoom varifocal lens * 30pcs high performance IR leds * Smart IR filter, day & night auto switch * Night vision up to 25 meters (82ft) * Low illumination, Min. 0.1Lux(0.01Lux IR led on) * OSD menu cable optional * Dual voltage input(DC 12v±25%/AC 24V±25%) * Voltage output: DC12V * Max. 500M transmission distance by coax cable * Vandal-proof, waterproof 	ES-AD3018L	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3018B	1.0MP	1280(H)*720P(V)	1/4" CMOS
			ES-AD3018M	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3018A	1.3MP	1280(H)*960P(V)	1/3" CMOS
			ES-AD3018P	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3018F	2.0MP	1920(H)*1080P(V)	1/3" CMOS
			ES-AD3018S	3.0MP	2048(H)*1536P(V)	1/3" CMOS
			ES-AD3018U	4.0MP	2650(H)*1440P(V)	1/3" CMOS
			ES-AD3018E	5.0MP	2592(H)*1944P(V)	1/3" CMOS

Remark:

1. The models below are from 1.0MP up to 5.0MP with optional DSP+sensor;
2. The models will be added in list periodically.